

# CO<sub>2</sub> EUTHANASIA OF MICE IN-PERSON TRAINING

UNIVERSITY OF SOUTH FLORIDA

COMPARATIVE MEDICINE

Attendee Name: \_\_\_\_\_  
Print Sign Date

## Discuss/Review:

- \_\_\_ Carbon Dioxide (CO<sub>2</sub>) gas cylinders are dark gray in color (oxygen gas cylinders, used to deliver isoflurane anesthesia to mice, are green in color).
- \_\_\_ Compressed gas tank cylinders are the only acceptable CO<sub>2</sub> source for euthanasia of mice.
- \_\_\_ Neonatal mice are naturally resistant to this method of euthanasia.
- \_\_\_ Prefilling a chamber with CO<sub>2</sub> is not acceptable.

## Demonstrate/Assess:

- \_\_\_ Compressed gas tank cylinders have a valve to which a pressure-reducing regulator is attached.
- \_\_\_ The flow meter ensures an appropriate displacement rate of air inside the enclosure, displacing 10-30% of the chamber volume per minute.
- \_\_\_ Euthanasia of more than one mouse at a time must be performed in cohorts of only live animals.
- \_\_\_ Mice should be euthanized in their home cage, whenever possible.
- \_\_\_ CO<sub>2</sub> can be delivered directly into a primary enclosure.

## Primary Enclosure

- \_\_\_ Blue line